

# unosm-r-app-01

<b>Application</b>	OSM
<b>Environment</b>	PROD
<b>Status</b>	active
<b>Hostname</b>	unosm-r-app-01.global.un.org
<b>IP Address</b>	10.128.128.49
<b>IP Address History</b>	10.128.128.49 [node: unosm-r-app-01.global.un.org] (current, private-cloud, VMWare)
<b>CPUs</b>	12
<b>Memory (GB)</b>	125
<b>Disk Total (GB)</b>	1080
<b>Disks</b>	80 GB 500 GB 500 GB
<b>Hypervisor</b>	VMWare
<b>Hosting</b>	private-cloud
<b>Batch Update</b>	
<b>Stack</b>	
<b>Role</b>	Data Import
<b>OS</b>	RHEL 9.7
<b>Location</b>	Unknown
<b>Tags</b>	
<b>Notes</b>	sdb and sdc are some kind of cluster as both added create the /data partition: sdb 8:16 0 500G 0 disk └─data-lv_data 253:2 0 1000G 0 lvm /data sdc 8:32 0 500G 0 disk └─data-lv_data 253:2 0 1000G 0 lvm /data sr0 11:0 1 1024M 0 rom
<b>Backup Policies</b>	
<b>Created</b>	2026-01-22 10:59
<b>Updated</b>	2026-01-22 11:16